


Combined Island Freezer ISF 3000 Series



Combined Island Freezer

Combined Island Freezer ISF 3000 Series

Combined Island Freezer ISF 3000 Series is equipped with micro-computer digital display controller for supervising the machinery working intelligently. This freezer maximizes the use of floor space with an end cabinet and mostly used as a standalone unit. The temperature range in this freezers is -18°C~ -22°C when compared to other island freezers.

Features

- ◆ Provided with built-in LED lights helps the user to view the frozen products
- ◆ The toughened sliding LOW-E glass door can avoid condensation but with good insulation and display effect
- ◆ R404A is the refrigerant used in this freezer along with imported Danfoss compressor and high efficiency copper heat-exchanger freezing fast and strongly
- ◆ It has automatic heat defrost technology ensuring the quality of the food (the temperature is maintained at -15°C)
- ◆ Due to its plug-in type structure, there will be no need of other installations. It can be moved easily and located independently
- ◆ The style and color can be customized with respect to user's requirements

Applications

Widely used in supermarkets, ice-cream parlors as well as health clubs to preserve storing frozen food, quick-freezing food, marine food, ice cream and so on.

Combined Island Freezer

Specification

Model No.	ISF 3000	ISF 3001	ISF 3002
Capacity	696L	905L	1100L
Temperature Range	-18°C~ -22°C	-18°C~ -22°C	-18°C~ -22°C
Loading Quantity 40'HQ	36sets	36sets	24sets
Power	520W	540W	595W
Dimensions	1860*851*851 mm	2100*851*851 mm	2500*855*851 mm
Power Supply /Voltage	220V/50Hz or 110V/60Hz	220V/50Hz or 110V/60Hz	220V/50Hz or 110V/60Hz