

# Crescent Ice Makers CIQ series



www.laboquest.com info@laboquest.com

### Crescent Ice Makers CIQ series

Crescent Ice makers CIQ series is modular intelligent ice maker units with automated ice making process. Built-in ice-making control device makes the whole ice making process intelligent and convenient. Features efficient, large capacity ice production with big ice storage. Built-in removable water filter ensures sanitation, health and safety of ice. High density polyurethane foam maintains insulation thus reducing power consumption.

### **Features**

- Dual flushing system ensuring efficient ice production
- High density polyurethane foam ensures effective insulation
- Reduces mineral build-up helping to produce clear, hard crescent cubes
- Built-in removable water filter
- Crescent shape, crystal clear ice output

## **Applications**

Used in supermarkets and sea food markets, chicken processing, sea food and fishing industry, butcher shops, science experiments, biological pharmaceuticals, bakery, winery, chemical, construction, food, vegetables, deep-sea fishing, ice plant, medical, laboratory, mining, artificial ski field, catering etc.

# **Specifications**

Model No.	CIQ 1000	CIQ 1001
Ice Making Capacity	25 kg / 24 hr.	40 kg / 24 hr.
Ice Storage	3kg	16kg
Power	240W	350W
Refrigerant	R134a	R134a
Quantity of ice per time	_	90pcs
Ice Shape	Crescent Ice Cubes	Crescent Ice Cubes
Ambient Temperature	15°C	30°C
Water Temperature	10°C	30°C
Weight of Ice	_	8g per piece
Power Voltage	220V 50Hz;	200V-240V, 50Hz;
	120V 60Hz	220V-240V, 50Hz
Dimensions	350*550*680 mm	505*656*857 mm
Net Weight	31kg	48kg
Gross Weight	36kg	54kg

Model No.	CIQ 1002	CIQ 1003
Ice Making Capacity	60 kg / 24 hr.	90 kg / 24 hr.
Ice Storage	22kg	28kg
Power	420W	520W
Refrigerant	R134a	R404a
Quantity of ice per time	120pcs	150pcs
Ice Shape	Crescent Ice Cubes	Crescent Ice Cubes
Ambient Temperature	30°C	30°C
Water Temperature	30°C	30°C
Weight of Ice	8g per piece	8g per piece
Power Voltage	220V 50Hz;	200V-240V, 50Hz;
	120V 60Hz	220V-240V, 50Hz
Dimensions	610*656*857 mm	715*656*857 mm
Net Weight	52kg	57kg
Gross Weight	59kg	65kg