

Under-Counter Freezers

Under-Counter Freezers UCF 7660 Series –

Under-Counter Freezers UCF 7660 series is equipped with LED digital display and embraco compressors. The temperature range of these freezers is $-14^{\circ}\text{C} \sim -18^{\circ}\text{C}$ and comes in a wide range of different no. of shelves and doors. These are easy to operate, easy to maintain and can exhibit better efficiency.

- Dati iroc			
i caluica			

- R404a is the refrigerant which is free from CFC and foam
- Electronic thermostat and LED digital display for accuracy and easy reading 100% copper condenser and evaporator
- 20FT/40HQ are 20ft and 40ft refrigerate containers
- Auto defrosting and auto evaporation or condensation of water by means of hot pipe in stainless steel box means no floor drain required
- The internal and external structure is of stainless steel with rounded edges for easy sanitation
- Insulation 50mm thickness for better energy efficiency
- Self-closing door by means of spring-loaded hinges ensures fast recovery and energy saving
- Magnetic-Gasket with high quality neoprene rubber can be replaced without any tools Heating element concealed in door frame to eliminate any condensation
- ◆ Shelf and shelf support are designed to accommodate 1 number of GN 1/1 pan size
- ◆ The doors are structured in offset profile for easy gripping and opening as well as easy maintenance
- Ventilated refrigeration compartment gives better air circulation, anticorrosiontreated evaporator

Under-Counter Freezers

Applications	
Applications	

Used mainly in General Lab storage, blood storage, hazardous material storage, Schools & Administrative office, hyper markets and others.

Model No.	UCF 7660	UCF 7661	UCF 7662
Capacity	540L	540L	540L
Temperature Range	+14°C~+18°C	+14°C~+18°C	+14°C~+18°C
No. of Doors	4	4	4
No. of 20FT/40HQ	12/30	12/30	12/30
No. of Drawers	0	2	1
Adjustable Shelves	4	4	4
Product Dimensions	2230*700*850 mm	2230*700*850 mm	2230*700*850 mm
Package Dimensions	2280*740*910 mm	2280*740*910 mm	2280*740*910 mm
Net Weight	155 kg	158 kg	159 kg
Gross Weight	165 kg	178 kg	179 kg
Power Supply	220V/50Hz or 110V/60Hz	220V/50Hz or 110V/60Hz	220V/50Hz or 110V/60Hz

Under-Counter Freezers

Model No.	UCF 7663	UCF 7664	UCF 7665
Capacity	540L	540L	540L
Temperature Range	+14°C~+18°C	+14°C~+18°C	+14°C~+18°C
No. of Doors	4	4	4
No. of 20FT/40HQ	12/30	12/30	12/30
No. of Drawers	3	4	6
Adjustable Shelves	4	4	4
Product Dimensions	2230*700*850 mm	2230*700*850 mm	2230*700*850 mm
Package Dimensions	2280*740*910 mm	2280*740*910 mm	2280*740*910 mm
Net Weight	161 kg	171 kg	171 kg
Gross Weight	181 kg	191 kg	191 kg
Power Supply	220V/50Hz or 110V/60Hz	220V/50Hz or 110V/60Hz	220V/50Hz or 110V/60Hz

\sim	1.0	•		
()	nt	ior	וה	
\sim	OI.	ıvı	ıuı	

- Set drawers instead of doors
- Castors
- Stainless steel shelf or plastic-coated shelf is available